


Patent Claims

1. A substituted pyrazoline of the formula (I)



in which

R¹ represents halogen or cyano,

R² represents halogen, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfonyl, haloalkylsulfinyl, haloalkylsulfonyl or cyano,

R³ represents optionally substituted aryl or optionally substituted hetaryl and

R⁴ represents hydrogen, cyanomethyl or alkoxycarbonyl.

2. A substituted pyrazoline of the formula (I) as claimed in claim 1 in which

R¹ represents fluorine, chlorine, bromine, iodine or cyano,

R² represents fluorine, chlorine, bromine, iodine; C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio, C₁-C₄-alkylsulfonyl, C₁-C₄-haloalkylsulfinyl, C₁-C₄-haloalkylsulfonyl or cyano,

- 5 R³ represents aryl which is optionally mono- or polysubstituted by identical or different substituents, examples of substituents which may be mentioned being: halogen, alkyl, alkoxy, alkylthio, alkylsulfonyl, haloalkyl, haloalkoxy, haloalkylthio, haloalkylsulfonyl or cyano;
- represents in each case optionally monosubstituted oxadiazolyl or thiadiazolyl, examples of substituents which may be mentioned being: optionally substituted alkyl, optionally substituted alkoxy, optionally substituted alkylthio, optionally substituted aryl or optionally substituted arylalkyl;
- 10 represents optionally monosubstituted tetrazolyl, examples of substituents which may be mentioned being: optionally substituted alkyl, optionally substituted alkylthio or alkylsulfonyl, in each case optionally substituted aryl or arylalkyl or optionally substituted cycloalkyl,
- 15 R⁴ represents hydrogen, cyanomethyl or C₁-C₄-alkoxycarbonyl.
3. A substituted pyrazoline of the formula (I) as claimed in claim 1 in which
- 20 R¹ represents chlorine, bromine, iodine or cyano,
- R² represents fluorine, chlorine, bromine, iodine, cyano, C₁-C₂-alkylthio, C₁-C₂-alkylsulfonyl, and also represents C₁-C₂-haloalkyl, C₁-C₂-haloalkoxy, C₁-C₂-haloalkylthio or C₁-C₂-haloalkylsulfonyl having in
- 25 each case 1 to 5 identical or different halogen atoms from the group consisting of fluorine, chlorine and bromine,
- R³ represents phenyl which is optionally mono- to trisubstituted by identical or different substituents, examples of substituents which may
- 30 be mentioned being: fluorine, chlorine, bromine, iodine, cyano; C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfonyl, and also represents C₁-C₄-haloalkyl, C₁-C₄-haloalkoxy,

C₁-C₄-haloalkylthio or C₁-C₄-haloalkylsulfonyl having in each case 1 to 5 identical or different halogen atoms from the group consisting of fluorine, chlorine and bromine;

represents in each case optionally monosubstituted oxadiazolyl or thiadiazolyl, examples of substituents which may be mentioned being:

C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio, and also phenyl or benzyl, each of which is optionally mono- to trisubstituted by identical or different substituents from the group consisting of halogen, C₁-C₄-haloalkyl and C₁-C₄-haloalkoxy;

represents optionally substituted tetrazolyl, examples of substituents which may be mentioned being: C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkylthio, C₁-C₄-alkylsulfonyl, and also phenyl or benzyl, each of which is optionally mono- to trisubstituted by identical or different substituents from the group consisting of halogen, C₁-C₄-haloalkyl and C₁-C₄-haloalkoxy, furthermore cyclopentyl or cyclohexyl, each of which is optionally mono- to trisubstituted by identical or different substituents from the group consisting of C₁-C₄-alkyl,

R⁴ represents hydrogen, cyanomethyl or C₁-C₄-alkoxycarbonyl.

4. A substituted pyrazoline of the formula (I) as claimed in claim 1 in which


R¹ represents chlorine, bromine or cyano,

R² represents fluorine, chlorine, bromine, iodine, methylthio, trifluoromethyl, trifluoromethoxy or trifluoromethylthio,

R³ represents phenyl which is optionally mono- to trisubstituted by identical or different substituents, examples of substituents which may be mentioned being: fluorine, chlorine, bromine, iodine, cyano,

methyl, methoxy, methylthio, trifluoromethyl, trifluoromethoxy, trifluoromethylthio or trifluoromethylsulfonyl;


represents an oxadiazolyl group from the group consisting of:



where

X^1 , X^2 and X^3 independently of one another represent hydrogen, C_1 - C_4 -alkyl, C_1 - C_4 -haloalkyl, C_1 - C_4 -alkylthio, C_1 - C_4 -haloalkylthio and also represent phenyl or benzyl, each of which is optionally mono- to trisubstituted by identical or different substituents from the group consisting of halogen, C_1 - C_2 -haloalkyl or C_1 - C_2 -haloalkoxy having in each case 1 to 3 identical or different halogen atoms from the group consisting of fluorine, chlorine and bromine;

represents a tetrazolyl group from the group consisting of:



where

X^4 , X^5 , X^6 and X^7 independently of one another represent hydrogen, C_1 - C_4 -alkyl, C_1 - C_2 -haloalkyl having 1 to 3 identical or different halogen atoms from the group consisting of fluorine, chlorine and bromine; C_1 - C_4 -alkylthio, C_1 - C_4 -alkylsulfonyl, represent phenyl or benzyl, each of which is optionally mono- to trisubstituted by identical or different substituents from the group consisting of halogen, C_1 - C_2 -haloalkyl and C_1 - C_2 -haloalkoxy having in each case 1 to 3 identical or different halogen atoms from the group consisting of fluorine, chlorine and bromine; and also represent cyclopentyl or cyclohexyl,

each of which is optionally mono- to trisubstituted by C₁-C₄-alkyl,

R⁴ represents hydrogen, cyanomethyl, methoxycarbonyl, ethoxycarbonyl, n- or i-propoxycarbonyl, n-, i-, s- or t-butoxycarbonyl.


5. A substituted pyrazoline of the formula (I) as claimed in claim 1 in which

R¹ represents chlorine or cyano,

R² represents fluorine, chlorine, bromine, iodine or trifluoromethylthio,

R³ represents phenyl which is optionally mono- or disubstituted by identical or different substituents from the group consisting of fluorine, chlorine, trifluoromethyl, trifluoromethoxy and trifluoromethylthio;


represents an oxadiazolyl group from the group consisting of:



where

X¹, X² and X³ independently of one another represent hydrogen, methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl, trifluoromethyl, trifluoromethoxy or trifluoromethylthio and also represent phenyl or benzyl, each of which is optionally mono- or disubstituted by identical or different substituents from the group consisting of fluorine, chlorine, bromine, trifluoromethyl or trifluoromethoxy;

represents a tetrazolyl group from the group consisting of:



where


X^4 , X^5 , X^6 and X^7 independently of one another represent hydrogen, methyl, ethyl, n- or i-propyl, n-, i-, s- or t-butyl; fluoromethyl, difluoromethyl, trifluoromethyl, 1,1-difluoroethyl, 2,2,2-trifluoroethyl, methylthio, ethylthio, methylsulfonyl, ethylsulfonyl; represent phenyl or benzyl, each of which is optionally mono- to disubstituted by identical or different substituents from the group consisting of fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl and trifluoromethoxy; and also represent cyclohexyl which is optionally mono- to disubstituted by methyl,

R^4 represents hydrogen or cyanomethyl.

6. A compound of the formula (I) as claimed in claim 1, in which R^1 is cyano.
7. A compound of the formula (I) as claimed in claim 1, in which R^2 is halogen, preferably fluorine, chlorine, bromine, iodine, particularly preferably fluorine or chlorine, very particularly preferably chlorine.
8. A compound of the formula (I) as claimed in claim 1, in which R^1 is cyano and R^2 is chlorine.
9. A compound of the formula (I) as claimed in claim 1, in which R^4 is hydrogen or cyanomethyl.

10. A process for preparing substituted pyrazolines of the formula (I) as claimed in claim 1, characterized in that


a) pyrazolines of the formula (II)



in which

R¹ and R² are as defined in claim 1

are reacted with isocyanates of the formula (III)




in which

R³ is as defined in claim 1,

if appropriate in the presence of a diluent and if appropriate in the presence of a catalyst;

and

b) the resulting pyrazoline derivatives of the formula (Ia) according to the invention



in which

R^1 , R^2 and R^3 are as defined in claim 1

are optionally reacted with halides of the formula (IV)



in which


R^4 is as defined in claim 1 and

Hal^1 represents halogen,

if appropriate in the presence of a diluent and if appropriate in the presence of a base;

or


c) anilines of the formula (V)



in which

R^3 and R^4 are as defined in claim 1


are initially reacted with phosgene in the presence of a diluent and if appropriate in the presence of a base, and the resulting carbamoyl chlorides of the formula (VI)



in which

R^3 and R^4 are as defined in claim 1

are reacted directly or after intermediate isolation with pyrazolines of the formula (II)



in which

R^1 and R^2 are as defined in claim 1,

in the presence of a diluent and if appropriate in the presence of a base.

11. A pesticide, characterized in that it comprises at least one compound of the formula (I) as claimed in claim 1, in addition to extenders and/or surfactants.

12. The use of compounds of the formula (I) as claimed in claim 1 for controlling pests.
13. A method for controlling pests, characterized in that compounds of the formula (I) as claimed in claim 1 are allowed to act on pests and/or their habitat.
14. A process for preparing pesticides, characterized in that compounds of the formula (I) as claimed in claim 1 are mixed with extenders and/or surfactants.

5

10